

Ferramenta Hardware
 Componenti Components

Spina in legno 8x30 (T) Wooden pin 8x30 (T)



n°12

Barilotto 14x14 (U) Barrel 14x14 (U)



n°9

Tirante 7x33.5 (V) Tie-rod 7x33.5 (V)



n°9

Grano 8x8 (Z) Threaded screw 8x8 (Z)




n°9


Feltri Felt pads




n°4




Piano (A)
 Top (A)



Fianchi (B)
 Sides (B)



Traversa (C)
 Cross panel (C)



Traverse laterali (D)
 Lateral cross panels (D)






Fig.1 Posizionamento delle spine (T), barilotti(U),tiranti(V) nei fianchi (B).

Fig.1 Position the wooden pins (T), barrels (U) and tie-rods (V) in the sides (B)



1) Posizionare le spine (T), i barilotti (U) e i tiranti (V) nei fianchi (B).

1) Position the wooden pins (T), barrels (U) and tie-rods (V) in the sides (B)



2) Posizionare i barilotti (U) e le spine (T) nella traversa (C).

2) Position the barrels (U) and wooden pins (T) in the cross panel (C)






Fig.2 Serraggio dei grani (Z) nei barilotti (U)

Fig.2 Tighten the threaded screws (Z) in the barrels (U)



3) Posizionare i tiranti (V) nel piano (A).

3) Position the tie-rods (V) in the top (A)



4) Unire i fianchi (B) con la traversa (C) e le traverse laterali (D) tramite spine (T) e tiranti (V)

4) Unite the sides (B) to the cross panel (C) and lateral cross panels (D) by means of the wooden pins and tie-rods (V)




Fig.1 Serraggio dei grani (Z) nei barilotti (U)

5) Unire il piano (A) alla struttura tramite i tiranti (V)

Fig.1 Tighten the threaded screws (Z) in the barrels (U)

5) Unite the top (A) to the structure by means of the tie-rods (V)

