





Bridge

A decorative dashed line starts from the top left, curves downwards and to the right, and then continues horizontally to the right edge of the page.

Indice

Content

BRIDGE SCRIVANIE EXECUTIVE - EXECUTIVE BRIDGE DESKS	
Bridge executive melaminico - Bridge executive melamine	4
Bridge executive con piano in vetro - Bridge executive glass top	10
BRIDGE TAVOLI RIUNIONE - BRIDGE MEETING TABLES	14
BRIDGE EXECUTIVE DETTAGLI - BRIDGE EXECUTIVE DETAILS	22
FINITURE - FINISHES	24
BRIDGE OPERATIVE - BRIDGE OPERATIVE	
Bridge scrivanie melaminico - Bridge melamine desks	28
Bridge workstation melaminico - Bridge workstation melamine	34
Bridge benches melaminico - Bridge benches melamine	38
BRIDGE OPERATIVE DETTAGLI - OPERATIVE BRIDGE DETAILS	44
ACCESSORI PER ELETTRIFICAZIONE	46
ELECTRIFICATION ACCESSORIES	
FINITURE - FINISHES	48
ABACO - ABACO	50
DESCRIZIONI TECNICHE - TECHNICAL DESCRIPTIONS	54



Bridge operative.

Il vantaggio di un produttore come Seipo è non solo quello di offrire una famiglia di prodotti completa, ricca di varianti, dettagli e accessori ma di essere sempre pronto a soddisfare il progetto del cliente, con finiture e misure specifiche. La collezione di operative Bridge nasce per arredare uffici con le esigenze più varie, creando sempre spazi efficienti, confortevoli e belli da vivere.

The advantage of a manufacturer like Seipo is not only to offer a complete series of products, rich in variations, details and accessories but to always be ready to satisfy the customer's project, with specific finishes and sizes. The Bridge operative collection of office furniture was created to furnish offices with the most varied needs, always creating efficient, comfortable and beautiful spaces to live in.





Bridge operative

Piani in melaminico finitura salice, gambe verniciate bianco. Mobili complanari e vano a giorno in melaminico finitura tortora, maniglie verniciate bianco. Screen in melaminico finitura tortora. Armadio serie Cabinet a spalla in melaminico finitura bianco, ante in melaminico finitura tortora. Melamine tops with salix finish, white legs. Melamine coplanar furniture with open compartment with taupe finish, white handles. Melamine screen with taupe finish. Cabinet series melamine wall wardrobe with white finish, melamine doors with taupe finish.


BRIDGE SCRIVANIE OPERATIVE - BRIDGE OPERATIVE DESKS

Allungare l'efficienza

Extend efficiency

Basta un pratico allungo, lineare o sagomato, per trasformare una scrivania operativa in uno spazio ancora più organizzato, magari arricchito da una cassettera portante. Nella famiglia Bridge, alla grande varietà di misure e finiture, si aggiunge la praticità di complementi come serventi e cassette, di tante misure e anche da centro stanza.

All it takes is a practical extension, linear or shaped, to transform a work desk into an even more organized space, perhaps enriched by a structural drawer unit. Besides, great variety of sizes and finishes of the Bridge series, there is added practicality of accessories such as sideboards and drawer units, in many sizes and also used as a centre of the room.



Piano in melaminico finitura olmo chiaro, gambe verniciate antracite.
Melamine top with light elm finish, anthracite legs.



Piano in melaminico finitura bianco, gambe verniciate bianco.
Cassettiere portanti allunghi in melaminico finitura extra, maniglie verniciate bianco.
Armadi serie Cabinet in melaminico finitura extra, maniglie verniciate bianco.
Melamine top with white finish, white legs.
Melamine return desk with structural drawer unit with extra finish, white handles.
Cabinet series melamine wardrobe with extra finish, white handles.


BRIDGE SCRIVANIE OPERATIVE - BRIDGE OPERATIVE DESKS

Tanto spazio per il lavoro

Plenty workspace

Avere tutto a portata di mano quando serve, mantenendo libero il piano operativo della scrivania e in ordine l'estetica dell'ufficio: questo è il grande vantaggio di un mobile alto o complanare con cassettone estraibile, cassetto porta cancelleria e serratura. Il mobile complanare è disponibile con top in tre spessori, da 18-25-30 mm, anche accessorabile con vano d'appoggio a giorno, per contenitori e portadocumenti di uso immediato.

Having everything at your fingertips when needed, keeping a free desk work surface and office aesthetics in order: this is the great advantage of a tall or coplanar cabinet with a pull-out drawer, stationery drawer and lock. The coplanar cabinet is available with a top in three thicknesses, 18-25-30 mm, also accessorized with an open support compartment, for containers and document holders for immediate use.



Piani in melaminico finitura rovere chiaro, gambe verniciate bianco.
Screen fonoassorbente Trevira 0377.
Mobili complanari e vano a giorno in melaminico finitura extra.
Melamine tops with light durmast finish, white legs.
Sound-absorbing screen in Trevira fabric 0377.
Melamine coplanar furniture with open compartment with extra finish.

Vano d'appoggio a giorno
Open support compartment



Mobile complanare con cassetto estraibile
Coplanar furniture with pull-out drawer



Mobile alto con cassetto estraibile
Tall cabinet with pull-out drawer





Bridge workstation

Piani in melaminico finitura rovere chiaro, gambe verniciate antracite.
Cassettiera portante in melaminico finitura bianco e rovere chiaro, maniglie verniciate bianco.
Screen in melaminico finitura bianco.
Melamine tops with light durmast finish, anthracite legs.
Melamine structural drawer unit with white and light durmast finish, white handles.
Melamine screen with white finish.


BRIDGE OPERATIVE WORKSTATION

Condividere il comfort

Sharing comfort

Le workstation Bridge hanno tutto quello che serve ad un'operatività allo stesso tempo intensa e confortevole: forme studiate per offrire il massimo dell'appoggio, pannelli modesty per favorire la concentrazione personale e anche arredare, tanti accessori contenitori da scegliere, sempre con l'aiuto dell'efficienza degli elementi fonoassorbenti.

The Bridge workstations have everything you need for both intense and comfortable work: shapes designed to offer maximum support, modesty panels to promote personal concentration and also furnish, many container accessories to choose from, always with the help of efficient sound-absorbing elements.



Piano in melaminico finitura olmo naturale, gambe verniciate bianco.
Cassettiera su ruote in melaminico finitura olmo naturale, maniglie verniciate bianco.
 Melamine top with natural elm finish, white legs.
 Melamine drawer unit on castors with natural elm finish, white handles.



Piani in melaminico finitura olmo chiaro, gambe verniciate grigio.
Screen in fonoassorbente finitura Trevira 0425.
 Melamine tops with light elm finish, grey legs.
 Sound-absorbing screen with trevira fabric 0425.



Bridge Benches

Piani in melaminico finitura olmo chiaro, gambe verniciate bianco.
 Screen in melaminico finitura extra.
 Lockers in melaminico finiture extra.
 Melamine tops with light elm finish, white legs.
 Melamine screen with extra finish.
 Melamine lockers with extra finish.


BRIDGE OPERATIVE BENCHES

Vicini e organizzati

Close and organized

La famiglia Bridge include un ampio sistema di benches, personalizzabili nelle finiture, disponibili in due profondità e in molteplici combinazioni, dotate anche di allunghi e screen, sia laterali che frontali, oltre che di comode canaline per l'alloggio dei cavi.

The Bridge series includes a wide system of benches, customizable in finishes, available in two depths and in multiple combinations, also equipped with extensions and screens, both lateral and frontal, as well as convenient channels for housing cables.



**Piani in melaminico finitura rovere chiaro,
Screen in melaminico finitura bianco.**
Melamine tops with light walnut finish.
Melamine screen with white finish.



Piani in melaminico finitura nero, gambe verniciate bianco.
Armadio serie Cabinet in melaminico finitura bianco, maniglie verniciate grigio.
Screen in melaminico finitura Trevira 0425.
Melamine tops with black finish, white legs.
Melamine Cabinet series wardrobe with white finish, grey handles.
Sound-absorbing screen with Trevira fabric 0425.



Piani in melaminico finitura bianco, gambe verniciate grigio.
Screen in melaminico finitura grigio.
Melamine tops with white finish, grey legs.
Melamine screen with white finish.

Bridge Operative dettagli

Bridge Operative details




Piano spessore 18 mm
Top thickness 18 mm



Piano spessore 25 mm
Top thickness 25 mm



Piano spessore 30 mm
Top thickness 30 mm



Piedino regolabile per gamba autoportante
Adjustable foot for self-bearing leg



Mobile complanare con cassetto estraibile
Coplanar furniture with pull-out drawer



Vano d'appoggio a giorno
Open support compartment



Ruota con freno
Braking castor



Chiusura ammortizzata
Soft closing



Vaschetta porta cancelleria
Stationery tray



Maniglie
Handles

Bridge accessori per elettrificazione

Bridge accessories for electrification

I nostri accessori permettono di mantenere lo spazio operativo sempre ben organizzato e in ordine, adattandolo alle molteplici esigenze dell'utenza.


Our accessories allow for maintaining well organized and in order operational space, adapting it to the user's multiple needs.



Spirale salita cavi
Spiral cable trunking



Tappo passacavi tondo
Round cable duct cap



Top access apertura da un lato
Top access with side opening




Top access apertura da due lati
Top access with double opening



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Caricabatterie ad induzione
Induction battery charger



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC



Multipresa Atom 2 prese Schuko 13 A - 2 USB 5V DC con apertura automatica
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC with automatic opening



Multipresa Atom 2 prese Schuko 13 A - 2 USB 5V DC - 1 RJ45 - 1 HDMI apertura
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC - 1 RJ45 - 1 HDMI with opening



Canalizzazione sottopiano estensibile da 580 a 1080
Extendable under desk cable tray from 580 to 1080

Finiture Finishes

FINITURE MELAMINICO MELAMINE FINISHES

BI

Bianco
White

GR

Grigio
Grey

TR

Tortora
Taupe

NR

Nero
Black

BL

Blu
Blue

VR

Verde
Green

NC

Noce chiaro
Light walnut

NS

Noce scuro
Dark walnut

OC

Olmo chiaro
Light elm

ON

Olmo naturale
Natural elm

RC

Rovere chiaro
Light durmast

SA

Salice
Salix

FINITURE GAMBE E DISTANZIALI LEG AND SPACER FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Grey

RAL 7016

Antracite
Anthracite

FINITURE MANIGLIE HANDLES FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Grey

FINITURE SCREEN FONOASSORBENTE SOUND ABSORBING SCREEN FINISHES

FINITURE TESSUTI FABRIC FINISHES

0629

0426

0353

0358

0236

0332

0354

0625

0573

0356

0357

0359

0386

0425

0443

0532

0533

0534

0377

0999

5601

5552

5551

5502

5501

5452

5451

5301

5202

5201

FINITURE SCREEN METACRILATO METHACRYLATE SCREEN FINISHES



BI

Bianco White



Operative Bridge system

SCRIVANIE DESKS

SCRIVANIE MELAMINICO - DESKS WITH MELAMINE TOPS LUNGHEZZE - LENGTHS 1600-1800-2000



SCRIVANIE VETRO - DESKS WITH GLASS TOPS LUNGHEZZE - LENGTHS 1600-1800-2000





CASSETTIERA E MOBILE DI SERVIZIO - CHEST OF DRAWERS AND SERVICE UNIT LUNGHEZZE - LENGTHS 420-1180




MODESTY PANEL LUNGHEZZE - LENGTHS 800-1000-1160-1200-1400-1600-1800



APPENDICI - RETURN DESKS LUNGHEZZE - LENGTHS 600-800-900-1000





ELEMENTI SERVENTE - SERVICE UNIT ELEMENTS LUNGHEZZE - LENGTHS 420-840-1260-1680



Executive Bridge system

RIUNIONE MEETING

RIUNIONE MELAMINICO - MEETING TABLES WITH MELAMINE TOPS LUNGHEZZE - LENGTHS 1800-2000-2200-2400-2800



ALLUNGO P.1000
EXTENSION D.1000

ALLUNGO P.1200
EXTENSION D.1200

Operative Bridge system

SCRIVANIE - DESKS

SCRIVANIE MELAMINICO - MELAMINE DESKS

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000





SCRIVANIE CON SERVENTE E CASSETTIERA - MELAMINE DESKS

LUNGHEZZE - LENGTHS 1600-1800-2000




APPENDICI, RACCORDI E MOBILI COMPLANARI - RETURN DESKS AND JUNCTIONS

LUNGHEZZE - LENGTHS 800-1000-1200




MOBILI COMPLANARI - COPLANAR FURNITURE

LUNGHEZZE - LENGTHS 420



SCREEN



LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800



WORKSTATIONS

WORKSTATIONS L.1600-1800

PROFONDITÀ - DEPTH 1400-1600



Operative Bridge system

BENCHES


BENCHES P,1250-1650

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000



SCREEN PER BENCHES - SCREENS FOR BENCHES

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800



Bridge system

DESCRIZIONI TECNICHE

Scrivanie

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Vetro temperato spessore mm. 10, bordi perimetrali smussati a filo secondo le norme anti-infortunistiche.

Struttura metallica a ponte realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, sono dotati di piedi in plastica grigi regolabili. Travi sotto piano realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche. Disponibile eventuale modesty panel anteriore in melaminico 18 mm.

Cassettiera portante per scrivanie, appendici e workstation realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio o bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassetiera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici, penisole o workstation in tubolare mm 70x30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali di diverse tipologie sono applicabili, tramite staffe in lamiera piegata e verniciata, al sistema desk:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Elementi servente

Mobili servente modulare componibile con contenitori a giorno, contenitori con ante e cassettiere. Casse realizzate in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali cassetti in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati. Anta in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati.

Maniglie in zamac colore bianco e grigio.

TECHNICAL DESCRIPTIONS

Desks

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Tempered glass 10 mm thick with bevelled flush perimeter edges according to accident prevention standards.

Bridge shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel. An 18 mm melamine front modesty panel is available.

Load-bearing drawer unit for desks, return desks and workstations made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides. The handles are in gray or white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of front screens can be applied to the desk system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Service unit elements

Modular service unit with open cases, cases with doors and drawers. The cases are made 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The drawer fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The door is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The handles are in grey, white zamac.

Cassettiera con interno cassetto in melaminico rivestito in PVC finitura grigio alluminio, guide metalliche trattate anticorrosione e arresto di fine corsa. Serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti sono dotati di chiusura ammortizzata. Top in in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza con bordi perimetrali in ABS spessore mm 2 dello stesso colore. Tutte le composizioni sono dotati di quattro piedini.

Tavoli riunione

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica a ponte realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili.

Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Cassettiera e mobile di servizio

Strutturacostituitadabase,cappello,fianchieretrorealizzatainconglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm, top in melaminico sp. 25 mm bordati in ABS sp. 1mm.Cassetti ammortizzati con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica. Ruote piroettanti con freno in nylon. Maniglia in zamak con passo 128mm.

Mobili complanari

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali\ante sp. 18 mm bordati in ABS sp. 2 mm. Top in melaminico sp. 18-25-30 mm bordati in ABS sp. 1mm. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Cassettiera con sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica.

Maniglia in zamak grigia o bianca con passo 128mm.

Chest of drawers with inside melamine drawer coated with an aluminium grey PVC finish and a guided anti corrosion treated metal runner. The lock has a folding key in duplicate copies for simultaneous closing of the drawers.

The drawers are equipped with soft closing.

The top is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides.

All of the compositions are equipped with four feet.

Meeting tables

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Bridge shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Chest of drawers and service unit furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging.The fronts are made of 18 mm thick melamine, top are made of 25 mm thick melamine with ABS 1 mm thick edging. Soft closing drawers with stationery tray. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. Sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Nylon swivel wheels with brake. Zamak handle with 128 mm interaxle.

Coplanar furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts\doors are made of 18 mm thick melamine with ABS 2 mm thick edging. The top is made of 10-25-30 mm thick melamine with ABS 1 mm thick edging. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. The chest of drawers is equipped with a sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Grey or white zamak handle with 128 mm interaxle.

Bridge system

DESCRIZIONI TECNICHE

Benches e workstations

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica a ponte realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili. Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Cassettiera portante per appendici, realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4.

Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio e bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassettera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali e longitudinali di diverse tipologie sono applicabili tramite staffe in lamiera piegata e verniciata al sistema benches:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Mobili con cassetto estraibile

Mobile alto e complanare costituiti da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm bordati in ABS sp. 1mm. Cassetti con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Mobile complanare top in melaminico sp. 18-25-30 mm bordati in ABS sp. 2 mm. Mobile alto top in melaminico sp. 25 mm bordati in ABS sp. 1mm. Ruota unidirezionale. Maniglia in zamak grigia o bianca con passo 128mm. Elemento superiore a giorno realizzato in melaminico sp. 25 mm bordati in ABS sp. 1mm. Serratura con chiave pieghevole in duplice copia.

TECHNICAL DESCRIPTIONS

Benches and workstations

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Bridge shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Load-bearing drawer unit for extensions made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides. The handles are in gray, white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of frontal and longitudinal screens can be applied to the bench system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Furniture with extractable drawer

Coplanar and tall furniture consisting of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick melamine with ABS 1 mm thick edging. Drawers with stationery tray. The inside of the drawer is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. The coplanar furniture topis made of 10-25-30 mm thick melamine with ABS 2 mm thick edging. The tall furniture top is made of 25 mm thick melamine with ABS 1 mm thick edging. Unidirectional castor:Grey or white zamak handle with 128 mm interaxle. Open upper element made of 25 mm thick melamine with ABS 1 mm thick edging. Lock with duplicate folding key.

SEIPO Srl. Tutti i diritti sono riservati.

Ogni riproduzione, anche parziale, di questo documento è proibita senza l'approvazione della ditta SEIPO Srl.

SEIPO Srl si riserva il diritto di cambiare o migliorare tecnicamente design e specifiche di ogni suo prodotto in qualsiasi momento e a sua discrezione senza darne preventiva notizia.

I colori dei campioni e delle fotografie sono solo indicativi, leggeri scostamenti non verranno accettati come reclamo.

SEIPO Srl. All rights reserved.

Any reproduction, even partial, of this document is prohibited without the approval of SEIPO Srl.

SEIPO Srl reserves the right to change or technically improve design and specifications of each of its products at any time and at its discretion without giving prior notice.

Colours samples and photographs are indicative, slight deviations will not be accepted as a complaint.

AD: immagina.biz

3D images: Laboratorio Onirico

Print: Grafichegemma

11/2024



SEIPO S.r.l.
Zona Industriale III Fase
97100 Ragusa Italy
Tel. +39 0932 667947
e-mail: seipo@seipo.it
www.seipo.it

