





Reception

A decorative dashed line starts from the top left, curves downwards and to the right, and then curves back to the left, ending near the bottom left.

Indice

Content

RECEPTION STONE	02
RECEPTION BOX	10
RECEPTION - PARTITION	18
RECEPTION DETTAGLI - OPERATIVE RECEPTION DETAILS	26
ACCESSORI PER ELETTRIFICAZIONE ELECTRIFICATION ACCESSORIES	27
FINITURE - FINISHES	28
ABACO - ABACO	30
DESCRIZIONI TECNICHE - TECHNICAL DESCRIPTIONS	32



Reception Partition.

Reception Partition è una famiglia dallo spirito molto adattabile, che permette di scegliere modelli con mensola oppure solo con paretina, sia frontale che laterale, in misure diverse. Le molte varianti di finitura effetto legno e i ricercati toni di colore, anche su richiesta, diventano un'occasione per dare valore all'arredamento del vostro ingresso.

Reception Partition is a series with a very adaptable spirit, which allows you to choose models with a shelf or only with a partition, both frontal and lateral, in different sizes. The many variations of wood-effect finishes and requested colour tones, also upon request, become an opportunity to give value to the furniture of your entrance.





Reception Partition

Reception in melaminico finitura noce chiaro.
Reception in melamine with light walnut finish.

RECEPTION PARTITION

Praticità e piacevolezza

Practicality and pleasantness

La comodità della vostra reception dipende da un'ottima organizzazione degli spazi ma anche da particolari dettagli di comfort, come la possibilità di realizzare le pareti in materiale fonoassorbente, assicurando così un ambiente piacevole e più riservato sia per gli operatori che per l'ospite.

The comfort of your reception depends on an excellent organization of the spaces but also on particular comfort details, such as the possibility of making the walls in sound-absorbing material, thus ensuring a pleasant and more private environment for both operators and guests.



Reception fonoassorbente Trevira 0999, mensola in melaminico finitura verde.
Scrivanìa serie Bridge in melaminico finitura noce chiaro, gambe verniciate grigio.
Sound-absorbing reception Trevira 0999, shelf in melamine, green finish.
Bridge series desk in melamine, light walnut finish, grey painted legs.



Partition fonoassorbente Trevira 0999.
Scrivanìa serie Bridge in melaminico finitura noce chiaro, gambe verniciate grigio.
Cube serie Royal in melaminico finitura verde.
Sound-absorbing partition Trevira 0999.
Bridge series desk in melamine light walnut finish, grey painted legs.
Royal series cube in melamine green finish.



Reception in melaminico finitura noce chiaro e bianco.
Armadio serie Cabinet in melaminico finitura bianco, ante in vetro alluminio acidato,
maniglie finitura bianco.

Reception in melamine with light walnut and white finish.
Cabinet series wardrobe in melamine with white finish, doors in acid-etched aluminium glass,
handles with white finish.

Reception dettagli

Reception details



Reception Box mensola installazione libera
Reception Box shelf free installation



Reception Box fianchi esterni bassi
Reception Box low external sides



Reception mensola d'appoggio
Reception support shelf



Reception Stone vano alloggio led
Reception Stone led accommodation compartment

Reception accessori per elettrificazione

Reception accessories for electrification

I nostri accessori permettono di mantenere lo spazio operativo sempre ben organizzato e in ordine, adattandolo alle molteplici esigenze dell'utenza.

Our accessories allow for maintaining well organized and in order operational space, adapting it to the user's multiple needs.




Spirale salita cavi
Spiral cable trunking



Tappo passacavi tondo
Round cable duct cap



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC

Finiture

Finishes

FINITURE MELAMINICO MELAMINE FINISHES

BI

Bianco
White

GR

Grigio
Gray

TR

Tortora
Taupe

NR

Nero
Black

BL

Blu
Blue

VR

Verde
Green

NC

Noce chiaro
Light walnut

NS

Noce scuro
Dark walnut

OC

Olmo chiaro
Light elm

ON

Olmo naturale
Natural elm

RC

Rovere chiaro
Light durmast

SA

Salice
Salix

FINITURE GAMBE LEG FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Gray

RAL 7016

Antracite
Anthracite

FINITURE MANIGLIE HANDLES FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Gray

FINITURE FONOASSORBENTE SOUND ABSORBING FINISHES

FINITURE TESSUTI FABRIC FINISHES

0629

0426

0353

0358

0236

0332

0354

0625

0573

0356

0357

0359

0386

0425

0443

0532

0533

0534

0377

0999

5601

5552

5551

5502

5501

5452

5451

5301

5202

5201

Reception

RECEPTIONS


RECEPTION STONE

LUNGHEZZE - LENGTHS 1000-1200

INIZIALI P.725
INITIAL D.725




INTERMEDIO P.725
INTERMEDIATE D.725



FINALI P.725
AND D.725




CONTENITORI P.725
CONTAINERS D.725



RECEPTION BOX

LUNGHEZZE - LENGTHS 600-700-800-900-1000-1200


INIZIALI P.725
INITIAL D.725




INTERMEDIO P.725
INTERMEDIATE D.725



ELEMENTI COMUNI
COMMON ELEMENTS




CONTENITORI P.725
CONTAINERS D.725




RECEPTION PARTITION

LUNGHEZZE - LENGTHS 600-700-800-900-1000

PARETINE
PARTITIONS



PARETINE MENSOLA
PARTITION SHELVES



Reception system

DESCRIZIONI TECNICHE

Reception Stone

Sistema componibile modulare:

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 25 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche.

Fianchi realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche. I fianchi sono collegati ai piani tramite giunzioni metalliche e sono dotati di piedini livellatori in ABS.

Pannello frontale, mensola superiore e contro-pannello frontale in conglomerato ligneo spessore 18 mm nobilitato con resine melaminiche. Bordi perimetrali in ABS dello stesso colore, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche. Il contro-pannello frontale si trova in posizione distaccata rispetto al frontale anteriore per dare un effetto profondità.

Elementi contenitore cassettiere costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche, trattate anticorrosione, a rullo con cuscinetti in nylon, e arresto di fine corsa. I cassetti possono essere dotati di chiusura ammortizzata (opzionale). L'elemento cassetiera è dotato di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia. Ante in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1, cerniere in metallo fissate ai fianchi con basetta a triplice regolazione. Maniglie in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Reception Box

Sistema componibile modulare:

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 25 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche

Fianchi realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide,

TECHNICAL DESCRIPTIONS

Reception Stone

Reception Stone modular system:

Tops made of Class E1 formaldehde gas release conglomerated chipboard wood with 25mm thickness and covered with high resistance melamine paper. ABS 2mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Sides made of Class E1 formaldehde gas release conglomerated chipboard wood with 18mm thickness and covered with high resistance melamine paper. ABS 2mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. The sides are connected to the top by means of metal junctions and are equipped with ABS levelling feet.

Front panel, upper shelf and counter frontal panel made of Class E1 formaldehde gas release conglomerated chipboard wood with 18mm thickness and covered with high resistance melamine paper. ABS 2mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. The front counter-panel is set apart from the front panel to give an effect of depth.

Container elements for drawer unit composed of a base, top, sides and back made of Class E1 formaldehde gas release conglomerated chipboard wood with 18mm thickness and covered with high resistance melamine paper. ABS 0,4mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1mm ABS edging on all sides in the same colour. The inside of the melamine drawers are coated with an aluminium grey PVC finish with MDF 3mm thickness bottom. Guided system anti corrosion treated metal runners with roller nylon bearings, and end-of-stroke stop. The drawers can be equipped with a cushioned closure (optional).

The drawer unit is equipped with four adjustable feet and simultaneous drawer locking by means of a foldable key in duplicate copies. The doors are made of class E1 formaldehde gas release conglomerated chipboard wood with 18mm thickness and covered with high resistance melamine paper. ABS 1mm thick perimeter edging in the same colour, metal hinges fixed to the sides with triple adjustment base.

The handles are in grey plastic by series. (Additional optional handles available).

Reception Box

Reception Stone modular system:

Tops made of Class E1 formaldehde gas release conglomerated chipboard wood with 25mm thickness and covered with high resistance melamine paper. ABS 2mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Sides made of Class E1 formaldehde gas release conglomerated chipboard

nello spessore mm 25 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme antinfortunistiche. I fianchi sono collegati ai piani tramite giunzioni metalliche e sono dotati di piedini livellatori in ABS. Pannello frontale e mensola realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 1 con spigoli arrotondati secondo le norme antinfortunistiche. Il pannello frontale e le mensole sono di libera istallazione in base all'esigenza dell'utente.

Elementi contenitore cassettiere costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 0.4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche, trattate anticorrosione, a rullo con cuscinetti in nylon, e arresto di fine corsa. I cassetti possono essere dotati di chiusura ammortizzata (opzionale). L'elemento cassetiera è dotato di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia. Ante in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore spessore mm 1, cerniere in metallo fissate ai fianchi con basetta a triplice regolazione. Maniglie in plastica colore grigio di serie. (Disponibili ulteriori maniglie opzionali).

Partition - Reception

Paretina altezza mm 1070 sono applicabili tramite staffe in lamiera piegata e verniciata a tutti i sistemi desk:

--In melaminico spessore mm 25 bordato in ABS mm 2 da tutti i lati

--In materiale fonoassorbente spessore mm 25 rivestito in tessuto Trevira CS.

Sono collegate negli angoli tramite montanti metallici verniciati a polveri epossidiche di colore grigio.

Mensole lineari e angolari realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza. Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 1 con spigoli arrotondati secondo le norme antinfortunistiche. Su tutti gli arredi, ove possibile, possono essere applicati fori passacavi, flap ed elementi di elettrificazione presenti nella sezione "Accessori elettrificazione" della famiglia.

wood with 25mm thickness and covered with high resistance melamine paper. ABS 2mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. The sides are connected to the top by means of metal junctions and are equipped with ABS levelling feet. Front panel and shelf made of Class E1 formaldehde gas release conglomerated chipboard wood with 18mm thickness and covered with high resistance melamine paper. ABS 1mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. The front panel and shelves are freely installable according to the user's needs.

Container elements for drawer unit composed of a base, top, sides and back made of Class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 0,4 mm thick perimeter edging in the same colour. The fronts are made of E1 formaldehde gas release 18mm thick conglomerated chipboard wood covered with high resistance melamine paper. 1 mm ABS edging on all sides in the same colour. The inside of the melamine drawers are coated with an aluminium grey PVC finish with MDF 3 mm thickness bottom. Guided system anti corrosion treated metal runners with roller nylon bearings, and end-of-stroke stop. The drawers can be equipped with a cushioned closure (optional). The drawer unit is equipped with four adjustable feet and simultaneous drawer locking by means of a foldable key in duplicate copies. The doors are made of class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 1mm thick perimeter edging in the same colour, metal hinges fixed to the sides with triple adjustment base. The handles are in grey plastic by series. (Additional optional handles available).

Partition - Reception

Partition height 1070 mm can be applied by means of folded and painted sheet metal brackets to the desk system:

--In melamine 25mm thickness with ABS 2mm edging on all sides.

--In 25mm thickness sound-absorbing material upholstered with Trevira CS fabric. They are connected at the corners by means of grey epoxy powder coated steel uprights.

Linear and angular shelves made of Class E1 formaldehde gas release conglomerated chipboard wood with 18 mm thickness and covered with high resistance melamine paper. ABS 1mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards. Cable duct holes, flaps ad all electrification elements may be applied (where possible) on all furnishings, see the "electrification accessories" section.

SEIPO Srl. Tutti i diritti sono riservati.
Ogni riproduzione, anche parziale, di questo documento è proibita senza l'approvazione della ditta SEIPO Srl.
SEIPO Srl si riserva il diritto di cambiare o migliorare tecnicamente design e specifiche di ogni suo prodotto
in qualsiasi momento e a sua discrezione senza darne preventiva notizia.
I colori dei campioni e delle fotografie sono solo indicativi, leggeri scostamenti non verranno accettati come reclamo.

SEIPO Srl. All rights reserved.
Any reproduction, even partial, of this document is prohibited without the approval of SEIPO Srl.
SEIPO Srl reserves the right to change or technically improve design and specifications of each of its products at any time
and at its discretion without giving prior notice.
Colours samples and photographs are indicative, slight deviations will not be accepted as a complaint.

AD: immagina.biz
3D images: Laboratorio Onirico
Print: Grafichegemma
02/2024



SEIPO S.r.l.
Zona Industriale III Fase
97100 Ragusa Italy
Tel. +39 0932 667947
e-mail: seipo@seipo.it
www.seipo.it