





Ring





Indice

Content

RING SCRIVANIE EXECUTIVE - EXECUTIVE RING DESKS	
Ring executive melaminico - Ring executive melamine	4
Ring executive con piano in vetro - Ring executive glass top	10
RING TAVOLI RIUNIONE - RING MEETING TABLES	14
RING EXECUTIVE DETTAGLI - RING EXECUTIVE DETAILS	22
FINITURE - FINISHES	24
RING OPERATIVE - RING OPERATIVE	
Ring scrivanie melaminico - Ring melamine desks	28
Ring workstation melaminico - Ring workstation melamine	34
Ring benches melaminico - Ring benches melamine	38
RING OPERATIVE DETTAGLI - OPERATIVE RING DETAILS	44
ACCESSORI PER ELETTRIFICAZIONE	46
ELECTRIFICATION ACCESSORIES	
FINITURE - FINISHES	48
ABACO - ABACO	50
DESCRIZIONI TECNICHE - TECHNICAL DESCRIPTIONS	54



Ring executive.

Di cosa abbiamo bisogno per i nostri uffici direzionali? Di funzionalità eclettica e stile, di solidità e design sempre personale. Proprio quello che propone Ring, la famiglia di scrivanie direzionali caratterizzate dalla linea decisa dell'elegante struttura metallica ad anello 70x30, da scegliere in bianco, grigio o antracite. I piani, in tre spessori da 18, 25 e 30mm, vengono proposti in tante finiture a colori, venature ed effetti materici, per giochi di contrasto o tono su tono.

What do we need for our executive offices? Eclectic functionality and style, solidity and always a personal design. Exactly what Ring offers, a series of executive desks characterized by a decisive line with an elegant 70x30 ring shaped metallic structure to be chosen in white, grey or anthracite. The tops are offered in three thicknesses of 18, 25 and 30 mm and can be in many colour finishes, grains and material effects for contrasting or tone-on-tone choices.





Ring executive

Piano in melaminico finitura noce chiaro,
servente in melaminico finitura noce chiaro,
gambe e maniglie verniciate bianco.

Top in melamine with a light walnut finish,
melamine service unit with a light walnut finish,
white legs and handles.


RING SCRIVANIE EXECUTIVE - RING EXECUTIVE DESKS

Design e spazio su misura

Customized design and space

Le scrivanie direzionali Ring, da 900 e 1000 mm, offrono spazio e profondità alla vostra idea di ufficio, grazie anche ai pratici allunghi che si adattano ad ogni esigenza personale e possono essere scelti sia dritti che sagomati. La scrivania diventa un'isola di comodità, dove tutto è ben organizzato e a portata di mano.

The Ring executive desks, 900 and 1000 mm, offer space and depth to your idea of an office, thanks also to the practical return desks that adapt to every personal need and can be chosen either straight or contoured. The desk becomes an island of comfort where everything is well-organized and within reach.



Piano in melaminico finitura olmo naturale, allungo in melaminico finitura olmo naturale, gambe verniciate antracite. Armadio serie Cabinet in melaminico finitura extra, ante in melaminico finitura salice, maniglie grigio.

Top in melamine with a natural elm finish, return desk in melamine with a natural elm finish, anthracite varnished legs. The wardrobe Cabinet series is in melamine with an extra finish, the doors are in melamine with a salix finish and grey handles.



Piano in melaminico finitura extra, allungo in melaminico finitura extra, gambe verniciate bianco. Armadio serie Cabinet in melaminico finitura extra, ante in melaminico finitura extra e ante vetro trasparente, maniglie bianco.

Top in melamine with an extra finish, the return desk is in a melamine extra finish, white varnished legs. The wardrobe Cabinet series is in a melamine extra finish, the doors are in a melamine extra finish and transparent glass and white handles.

Piani in melaminico finitura olmo chiaro, modesty in melaminico finitura blu, gambe e maniglie verniciate bianco.
 Mobile di servizio e cassetiera in melaminico finitura blu, armadio serie Cabinet in melaminico finitura olmo chiaro, ante in melaminico finitura blu, maniglie bianco.

Tops in melamine with a light elm finish, the modesty panel is in a blue melamine finish, white legs and handles. The service unit and chest of drawers are in a blue melamine finish, the wardrobe Cabinet series is in a light elm melamine finish, the doors are in a blue melamine finish with white handles.





Ring executive con piano in vetro

Ring executive with glass top


Piano in vetro finitura bianco,
servente in melaminico finitura noce scuro,
gambe e maniglie verniciate bianco.
Glass top with white finish,
melamine service unit with a dark walnut finish,
white legs and handles.

RING EXECUTIVE PIANO IN VETRO - GLASS EXECUTIVE RING DESKS

Riflessioni di stile

Reflections of style

Nella versione con piano in vetro, la solidità della struttura ad anello, da scegliere in bianco, grigio o antracite, valorizza l'eleganza molto moderna del vetro di spessore 10mm, retro laccato in bianco e antracite, per combinazioni di arredo in sintonia con il vostro stile. I piani sono disponibili con profondità 900 e 1000 mm, in 2 lunghezze.



In the glass top version, the solidity of the ring shaped structure si to be chosen in white, grey or anthracite, enhances the very modern elegance of the 10mm thick glass, the back is lacquered in anthracite and white for furnishing combinations in tune with your style. The tops are available with depths of 900 and 1000 mm in 2 lengths.



Piano in vetro finitura bianco, gambe verniciate antracite.
Glass top with white finish and anthracite varnished legs.



Piano in vetro finitura antracite, gambe verniciate antracite.
Boiserie in melaminico finitura extra.
Glass top with anthracite finish and anthracite varnished legs.
The boiserie is in a melamine extra finish.



Ring tavoli riunione

Ring meeting tables

**Piano in melaminico finitura extra,
gambe verniciate bianco.**
The top is in melamine with an extra finish
and white varnished legs.


RING TAVOLI RIUNIONE - RING MEETING TABLES

Pensare in grande

Think big

Pronti a partecipare a riunioni piccole e grandi, i tavoli Ring possono raggiungere nella lunghezza anche misure molto importanti e sono realizzati con tre diversi tipi di sagomatura e due profondità, per arredare al meglio i vostri spazi. Al centro, il pratico sistema di ingresso dei cavi permette di mantenere sempre in ordine la superficie.

Ready to take part in small and large meetings, the Ring tables can reach very important lengths and are made in three different types of shapes and two depths, to furnish your spaces in the best possible way. In the center, the practical cable entry system allows for you to always keep a tidy surface.



Piano in melaminico finitura olmo chiaro,
gambe verniciate antracite.
Armadio serie Cabinet in melaminico finitura bianco,
ante in melaminico finitura bianco e vetro acidato, maniglie grigio.
Melamine top with a light elm finish and anthracite varnished legs.
The wardrobe Cabinet series is in a white melamine finish,
the doors are in a white melamine finish and etched glass with grey handles.



Piano in melaminico finitura bianco,
gambe verniciate antracite.
Top with white melamine finish
and anthracite varnished legs.

Piano in melaminico finitura extra,
gambe verniciate antracite.
Armadio serie Cabinet in melaminico finitura bianco,
ante in tessuto, maniglie bianco.

Melamine top with an extra finish and anthracite varnished legs.
The wardrobe Cabinet series is in a white melamine finish,
the doors are upholstered in fabric with white handles.





Piano in melaminico finitura bianco, gambe verniciate grigio.
Top with white melamine finish and grey varnished legs.



Piano in melaminico finitura bianco, gambe verniciate grigio.
Top with white melamine finish and grey varnished legs.



Piano in melaminico finitura noce chiaro, gambe verniciate grigio.
Top with light walnut melamine finish and grey varnished legs.

Ring Executive dettagli

Ring Executive details



Piano spessore 18 mm
Top thickness 18 mm



Piano spessore 25 mm
Top thickness 25 mm



Piano spessore 30 mm
Top thickness 30 mm



Gamba metallica bianca
White metallic leg



Gamba metallica grigia
Grey metallic leg



Gamba metallica antracite
Anthracite metallic leg



Piano in melaminico
Melamine top



Piano vetro bianco
White glass top



Piano vetro antracite
Anthracite glass top



Ruota con freno
Braking castor



Chiusura ammortizzata
Soft closing



Vaschetta porta cancelleria
Stationery tray



Maniglie
Handles

Finiture Finishes

▶ FINITURE MELAMINICO MELAMINE FINISHES

BI

Bianco
White

GR

Grigio
Grey

TR

Tortora
Taupe

NR

Nero
Black

BL

Blu
Blue

VR

Verde
Green

NC

Noce chiaro
Light walnut

NS

Noce scuro
Dark walnut

OC

Olmo chiaro
Light elm

ON

Olmo naturale
Natural elm

RC

Rovere chiaro
Light durmast

SA

Salice
Salix

▶ FINITURE MANIGLIE HANDLES FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Grey

▶ FINITURE GAMBE E DISTANZIALI LEG AND SPACER FINISHES

RAL 9010

Bianco
White

RAL 9006

Grigio
Grey

RAL 7016

Antracite
Anthracite

▶ FINITURE PIANI VETRO GLASS TOP FINISHES

VBI

Bianco
White

VAN

Antracite
Anthracite

Ring Operative dettagli

Ring Executive details



Piano spessore 18 mm
Top thickness 18 mm



Piano spessore 25 mm
Top thickness 25 mm



Piano spessore 30 mm
Top thickness 30 mm



Gamba metallica bianca
White metallic leg



Gamba metallica grigia
Grey metallic leg



Gamba metallica antracite
Anthracite metallic leg



Piedino regolabile per gamba ad anello
Adjustable foot for ring shaped leg



Piedino regolabile per gamba autoportante
Adjustable foot for self-bearing leg



Ruota con freno
Braking castor



Chiusura ammortizzata
Soft closing



Vaschetta porta cancelleria
Stationery tray



Maniglie
Handles

Ring accessori per elettrificazione

Ring accessories for electrification

I nostri accessori permettono di mantenere lo spazio operativo sempre ben organizzato e in ordine, adattandolo alle molteplici esigenze dell'utenza.


Our accessories allow for maintaining well organized and in order operational space, adapting it to the user's multiple needs.



Spirale salita cavi
Spiral cable trunking



Tappo passacavi tondo
Round cable duct cap



Top access apertura da un lato
Top access with side opening




Top access apertura da due lati
Top access with double opening



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Caricabatterie ad induzione
Induction battery charger



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC



Multipresa Atom 2 prese Schuko 13 A - 2 USB 5V DC con apertura automatica
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC with automatic opening



Multipresa Atom 2 prese Schuko 13 A - 2 USB 5V DC - 1 RJ45 - 1 HDMI apertura
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC - 1 RJ45 - 1 HDMI with opening





Canalizzazione sottopiano estensibile da 580 a 1080
Extendable under desk cable tray from 580 to 1080

Executive Ring system

SCRIVANIE - DESKS

SCRIVANIE MELAMINICO - DESKS WITH MELAMINE TOPS

LUNGHEZZE - LENGTHS 1600-1800-2000



SCRIVANIE VETRO - DESKS WITH GLASS TOPS

LUNGHEZZE - LENGTHS 1600-1800-2000



CASSETTIERA E MOBILE DI SERVIZIO - CHEST OF DRAWERS AND SERVICE FURNITURE UNIT

LUNGHEZZE - LENGTHS 420-1180





MODESTY PANEL

LUNGHEZZE - LENGTHS 800-1000-1160-1200-1400-1600-1800




APPENDICI - RETURN DESKS

LUNGHEZZE - LENGTHS 600-800-900-1000



ELEMENTI SERVENTE - SERVICE UNIT ELEMENTS

LUNGHEZZE - LENGTHS 420-840-1260-1680





Executive Ring system



RIUNIONE MEETING

RIUNIONE MELAMINICO - MEETING TABLES WITH MELAMINE TOPS

LUNGHEZZE - LENGTHS 1800-2000-2200-2400-2800



ALLUNGO P.1000
EXTENSION D.1000



ALLUNGO P.1200
EXTENSION D.1200

Operative Ring system

SCRIVANIE - DESKS

SCRIVANIE MELAMINICO - MELAMINE DESKS

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000

SCRIVANIE P.600-800
DESKS D.600-800

SCRIVANIE CON SERVENTE E CASSETTIERA - MELAMINE DESKS

LUNGHEZZE - LENGTHS 1600-1800-2000

SCRIVANIE P.600-800
DESKS D.600-800

APPENDICI, RACCORDI E MOBILI COMPLANARI - RETURN DESKS AND JUNCTIONS

LUNGHEZZE - LENGTHS 800-1000-1200

P.600-800
D.600-800

RACCORDI
JUNCTIONS

MOBILI COMPLANARI - COPLANAR FURNITURE

LUNGHEZZE - LENGTHS 420

MOBILI P.600-800
COMP. D.600-800

SCREEN

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800

P. 6-18-40
D. 6-18-40

WORKSTATIONS

WORKSTATIONS L.1600-1800

PROFONDITÀ - DEPTH 1400-1600

LUNGHEZZA 1600
LENGTHS 1.600

LUNGHEZZA 1800
LENGTHS 1800

Operative Ring system

BENCHES

BENCHES P,1250-1650

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000

P. 1250
D. 1250

P. 1650
D. 1650

SCREEN PER BENCHES - SCREENS FOR BENCHES

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800

P. 6-18
D. 6-18

P. 18
D. 18

Ring system

DESCRIZIONI TECNICHE

Scrivanie

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Vetro temperato spessore mm. 10, bordi perimetrali smussati a filo secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, sono dotati di piedi in plastica grigi regolabili. Travi sotto piano realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche. Disponibile eventuale modesty panel anteriore in melaminico 18 mm.

Cassettiera portante per scrivanie, appendici e workstation realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio o bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassetiera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici, penisole o workstation in tubolare mm 70x30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali di diverse tipologie sono applicabili, tramite staffe in lamiera piegata e verniciata, al sistema desk:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Elementi servente

Mobili servente modulare componibile con contenitori a giorno, contenitori con ante e cassettiere. Casse realizzate in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali cassetti in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati. Anta in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati.

Maniglie in zamac colore bianco e grigio.

TECHNICAL DESCRIPTIONS

Desks

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Tempered glass 10 mm thick with bevelled flush perimeter edges according to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel. An 18 mm melamine front modesty panel is available.

Load-bearing drawer unit for desks, return desks and workstations made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides. The handles are in gray or white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of front screens can be applied to the desk system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Service unit elements

Modular service unit with open cases, cases with doors and drawers. The cases are made 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The drawer fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The door is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The handles are in grey, white zamac.

Cassettiera con interno cassetto in melaminico rivestito in PVC finitura grigio alluminio, guide metalliche trattate anticorrosione e arresto di fine corsa. Serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti sono dotati di chiusura ammortizzata. Top in in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza con bordi perimetrali in ABS spessore mm 2 dello stesso colore. Tutte le composizioni sono dotati di quattro piedini.

Tavoli riunione

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili.

Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Cassettiera e mobile di servizio

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm, top in melaminico sp. 25 mm bordati in ABS sp. 1mm.Cassetti ammortizzati con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica. Ruote piroettanti con freno in nylon. Maniglia in zamac con passo 128mm.

Mobili complanari

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali\ante sp. 18 mm bordati in ABS sp. 2 mm. Top in melaminico sp. 18-25-30 mm bordati in ABS sp. 1mm. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Cassettiera con sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica.

Maniglia in zamac grigia o bianca con passo 128mm.

Chest of drawers with inside melamine drawer coated with an aluminium grey PVC finish and a guided anti corrosion treated metal runner. The lock has a folding key in duplicate copies for simultaneous closing of the drawers.

The drawers are equipped with soft closing.

The top is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides.

All of the compositions are equipped with four feet.

Chest of drawers and service unit furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging.The fronts are made of 18 mm thick melamine, top are made of 25 mm thick melamine with ABS 1 mm thick edging. Soft closing drawers with stationery tray. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. Sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Nylon swivel wheels with brake. Zamak handle with 128 mm interaxle.

Meeting tables

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Coplanar furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts\doors are made of 18 mm thick melamine with ABS 2 mm thick edging. The top is made of 10-25-30 mm thick melamine with ABS 1 mm thick edging. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. The chest of drawers is equipped with a sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Grey or white zamak handle with 128 mm interaxle.

Ring system

DESCRIZIONI TECNICHE

Benches e workstations

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili. Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Cassettiera portante per appendici, realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4.

Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio e bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassettera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali e longitudinali di diverse tipologie sono applicabili tramite staffe in lamiera piegata e verniciata al sistema benches:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Mobili con cassetto estraibile

Mobile alto e complanare costituiti da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm bordati in ABS sp. 1mm. Cassetti con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Mobile complanare top in melaminico sp. 18-25-30 mm bordati in ABS sp. 2 mm. Mobile alto top in melaminico sp. 25 mm bordati in ABS sp. 1mm. Ruota unidirezionale. Maniglia in zamak grigia o bianca con passo 128mm. Elemento superiore a giorno realizzato in melaminico sp. 25 mm bordati in ABS sp. 1mm. Serratura con chiave pieghevole in duplice copia.

TECHNICAL DESCRIPTIONS

Benches and workstations

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Load-bearing drawer unit for extensions made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides. The handles are in gray, white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of frontal and longitudinal screens can be applied to the bench system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Furniture with extractable drawer

Coplanar and tall furniture consisting of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick melamine with ABS 1 mm thick edging. Drawers with stationery tray. The inside of the drawer is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. The coplanar furniture topis made of 10-25-30 mm thick melamine with ABS 2 mm thick edging. The tall furniture top is made of 25 mm thick melamine with ABS 1 mm thick edging. Unidirectional castor.Grey or white zamak handle with 128 mm interaxle. Open upper element made of 25 mm thick melamine with ABS 1 mm thick edging. Lock with duplicate folding key.

SEIPO Srl. Tutti i diritti sono riservati.

Ogni riproduzione, anche parziale, di questo documento è proibita senza l'approvazione della ditta SEIPO Srl.

SEIPO Srl si riserva il diritto di cambiare o migliorare tecnicamente design e specifiche di ogni suo prodotto in qualsiasi momento e a sua discrezione senza darne preventiva notizia.

I colori dei campioni e delle fotografie sono solo indicativi, leggeri scostamenti non verranno accettati come reclamo.

SEIPO Srl. All rights reserved.

Any reproduction, even partial, of this document is prohibited without the approval of SEIPO Srl.

SEIPO Srl reserves the right to change or technically improve design and specifications of each of its products at any time and at its discretion without giving prior notice.

Colours samples and photographs are indicative, slight deviations will not be accepted as a complaint.

AD: immagina.biz

3D images: Ufficio Tecnico Seipo

Print: Grafichegemma

10/2024



SEIPO S.r.l.
Zona Industriale III Fase
97100 Ragusa Italy
Tel. +39 0932 667947
e-mail: seipo@seipo.it
www.seipo.it

