





Ring



SEIPO®

A decorative dashed line starts from the top left, curves downwards and to the right, and then continues horizontally across the top of the page.

Indice

Content

RING SCRIVANIE EXECUTIVE - EXECUTIVE RING DESKS	
Ring executive melaminico - Ring executive melamine	4
Ring executive con piano in vetro - Ring executive glass top	10
RING TAVOLI RIUNIONE - RING MEETING TABLES	14
RING EXECUTIVE DETTAGLI - RING EXECUTIVE DETAILS	22
FINITURE - FINISHES	24
RING OPERATIVE - RING OPERATIVE	
Ring scrivanie melaminico - Ring melamine desks	28
Ring workstation melaminico - Ring workstation melamine	34
Ring benches melaminico - Ring benches melamine	38
RING OPERATIVE DETTAGLI - OPERATIVE RING DETAILS	44
ACCESSORI PER ELETTRIFICAZIONE	46
ELECTRIFICATION ACCESSORIES	
FINITURE - FINISHES	48
ABACO - ABACO	50
DESCRIZIONI TECNICHE - TECHNICAL DESCRIPTIONS	54

Ring operative.

La famiglia di scrivanie operative Ring risponde a tutte le richieste con grande versatilità e ampiezza di possibilità: piccole scrivanie, allunghi, complanari, benches, cassettiere portanti e vani a giorno possono essere combinati in tante variazioni e misure diverse, per comporre il vostro spazio operativo ideale. Il bello è anche poterle completare di accessori e valorizzarle con colori e finiture a scelta.

The Ring series of operative desks meet all requests with great versatility and a wide range of possibilities: small desks, return desks, coplanars, benches, load-bearing drawer units and open compartments can be combined in many variations and different sizes to compose your ideal operative space. The beauty is also being able to complete them with accessories and enhance them with colours and finishes of your choice.





Ring operative

Piani in melaminico finitura bianco, gambe verniciate antracite.
 Serventi in melaminico finitura extra, maniglie verniciate grigio.
 Armadi serie cabinet in melaminico finitura extra,
 Tops in white melamine finish and anthracite varnished legs.
 The service units are in an extra melamine finish with grey handles.
 The wardrobe Cabinet series are in an extra melamine finish.


RING SCRIVANIE OPERATIVE - RING OPERATIVE DESKS

Spazi organizzati, grande comodità

Organized spaces, great comfort

Basta una cassettera autoportante con serratura o un mobile complanare con anta per rendere ancora più efficiente e personale la scrivania, da scegliere in diverse lunghezze e tipologie, sempre caratterizzate dall'elegante design della solida struttura metallica ad anello.

All it takes is a self-supporting chest of drawers with a lock or a coplanar piece of furniture with a door to make a desk even more efficient and personalized which can be chosen in different lengths and types, always characterized by the elegant design of the solid metallic ring shaped structure.



Piano in melaminico finitura bianco, cassettera portante finitura extra, gambe e maniglie verniciate antracite e bianco.
Cube in melaminico finitura bianco.
Top in white melamine finish, load-bearing chest of drawers with extra finish and white legs and handles.
Cube in white melamine finish.



Piano in melaminico finitura olmo chiaro, gambe verniciate bianco.
Mobile complanare in melaminico finitura olmo chiaro, maniglie verniciate bianco.
Screen fonoassorbente trevira 0353
Melamine top in light elm finish and white varnished legs.
Coplanar cabinet in light elm melamine finish with white handles.
Sound-absorbing screen in trevira category V colour 0353.



**Piani in melaminico finitura extra,
allunghi in melaminico finitura extra,
gambe e maniglie verniciate grigio.**
Melamine tops in an extra finish,
return desks in an extra melamine finish with
grey legs and handles.



**Piano in melaminico finitura extra,
servente in melaminico finitura extra,
gambe verniciate antracite.**
**Armadio serie cabinet in melaminico finitura extra,
ante fonoassorbenti trevira 0425**
Top in melamine extra finish,
service unit in melamine extra finish with anthracite varnished legs.
Wardrobe Cabinet series in melamine extra finish.
Sound-absorbing doors in trevira category V colour 0452.



Ring workstation

Piani in melaminico finitura extra,
gambe verniciate bianco.

Screen fonoassorbente trevira 0533.

Tops in melamine extra finish with white varnished legs.
Sound-absorbing screen in trevira category V colour 0533.



RING OPERATIVE WORKSTATION

L'operatività è avvolgente

Operativeness is enveloping

Le workstations della famiglia Ring, realizzate con pezzo unico, in tre modelli, sono disegnate secondo principi ergonomici per offrire un perfetto spazio operativo. Le diverse finiture effetto legno e i colori a scelta arricchiscono di stile gli ambienti di lavoro, che diventano piacevoli e personali.

The Ring workstations series is made in a single piece, in three models and are designed according to ergonomic principles to offer a perfect operational space. The different wood-effect finishes and colours to choose from enrich work environments with style and become pleasant and personal.



**Piani in melaminico finitura verde,
gambe verniciate antracite.**
Tops in green melamine finish
with anthracite varnished legs.



**Piano in melaminico finitura verde,
gambe verniciate bianco.**
Cassettiera in melaminico finitura verde, maniglie verniciate bianco.
Top in green melamine finish with white varnished legs.
Drawer unit in green melamine finish with white handles.



Ring benches

Piani in melaminico finitura verde, servente in melaminico finitura bianco, gambe e maniglie verniciate grigio.

Screen fonoassorbenti trevira 0443. Cube in melaminico finitura bianco
Tops in green melamine finish, service unit in white melamine finish, grey legs and handles.
Sound-absorbing screens in trevira category V colour 0443.
Cube in white melamine finish.


RING OPERATIVE BENCHES

Un mosaico di combinazioni

A mosaic of combinations

La grande famiglia Ring include benches disponibili in profondità 1250-1650 mm, da comporre in una grande varietà di combinazioni, per esempio con allunghi sagomati o screen fonoassorbenti, sia frontali che laterali. Le postazioni possono essere dotate di pratici accessori come le canaline portacavi.

The large Ring series includes benches available in depths of 1250-1650 mm to be composed in a wide variety of combinations for example with contoured extensions or sound-absorbing screens both frontal and lateral. The workstations can be equipped with practical accessories such as cable ducts.



Piani in melaminico finitura olmo chiaro,
gambe verniciate bianco.
Screen fonoassorbente trevira 0358

Tops in light elm melamine finish with white varnished legs.
Sound-absorbing screen in trevira category V colour 0358.



Piani in melaminico finitura verde,
gambe verniciate bianco.
Screen fonoassorbente trevira 0358

Tops in green melamine finish with white varnished legs.
Sound-absorbing screens in trevira category V colour 0358.



Piani in melaminico finitura olmo chiaro,
gambe verniciate bianco.
Screen in melaminico finitura verde.
Tops in light elm melamine finish with white varnished legs.
Sound-absorbing screens in green melamine finish.

Ring Operative dettagli

Ring Executive details



Piano spessore 18 mm
Top thickness 18 mm



Piano spessore 25 mm
Top thickness 25 mm



Piano spessore 30 mm
Top thickness 30 mm



Gamba metallica bianca
White metallic leg



Gamba metallica grigia
Grey metallic leg



Gamba metallica antracite
Anthracite metallic leg



Piedino regolabile per gamba ad anello
Adjustable foot for ring shaped leg



Piedino regolabile per gamba autoportante
Adjustable foot for self-bearing leg



Ruota con freno
Braking castor



Chiusura ammortizzata
Soft closing



Vaschetta porta cancelleria
Stationery tray



Maniglie
Handles

Ring accessori per elettrificazione

Ring accessories for electrification

I nostri accessori permettono di mantenere lo spazio operativo sempre ben organizzato e in ordine, adattandolo alle molteplici esigenze dell'utenza.


Our accessories allow for maintaining well organized and in order operational space, adapting it to the user's multiple needs.



Spirale salita cavi
Spiral cable trunking



Tappo passacavi tondo
Round cable duct cap



Top access apertura da un lato
Top access with side opening




Top access apertura da due lati
Top access with double opening



Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)
Versapad 1 Schuko - 1 RJ45 + USB 5V (battery recharge)



Caricabatterie ad induzione
Induction battery charger



Multiconnettore Vertikal Push 3 prese Schuko 6A e 3 USB 5V DC
Multiconnector vertical push 3 Schuko jacks 6A and 3 USB 5V DC



Multipresa Atom 2 prese Schuko 13 A-2 USB 5V DC con apertura automatica
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC with automatic opening






Multipresa Atom 2 prese Schuko 13 A-2 USB 5V DC - 1 RJ45 - 1 HDMI apertura
Multi jack Atom with 2 jacks Schuko 13 A-2 USB 5V DC - 1 RJ45 - 1 HDMI with opening



Canalizzazione sottopiano estensibile da 580 a 1080
Extendable under desk cable tray from 580 to 1080

Finiture Finishes

FINITURE MELAMINICO MELAMINE FINISHES

 BI Bianco White	 GR Grigio Grey	 TR Tortora Taupe	 NR Nero Black	 BL Blu Blue	 VR Verde Green
 NC Noce chiaro Light walnut	 NS Noce scuro Dark walnut	 OC Olmo chiaro Light elm	 ON Olmo naturale Natural elm	 RC Rovere chiaro Light durmast	 SA Salice Salix

FINITURE GAMBE E DISTANZIALI LEG AND SPACER FINISHES

























 RAL 9010 Bianco White	 RAL 9006 Grigio Grey	 RAL 7016 Antracite Anthracite
--	---	--

FINITURE MANIGLIE HANDLES FINISHES

 RAL 9010 Bianco White	 RAL 9006 Grigio Grey
--	---

FINITURE SCREEN FONOASSORBENTE SOUND ABSORBING SCREEN FINISHES

FINITURE TESSUTI FABRIC FINISHES

 0629	 0426	 0353	 0358	 0236	 0332	 0354	 0625
 0573	 0356	 0357	 0359	 0386	 0425	 0443	 0532
 0533	 0534	 0377	 0999	 5601	 5552	 5551	 5502
 5501	 5452	 5451	 5301	 5202	 5201		



FINITURE SCREEN METACRILATO METHACRYLATE SCREEN FINISHES

 BI Bianco White
--

Executive Ring system

SCRIVANIE - DESKS


SCRIVANIE MELAMINICO - DESKS WITH MELAMINE TOPS LUNGHEZZE - LENGTHS 1600-1800-2000




SCRIVANIE VETRO - DESKS WITH GLASS TOPS LUNGHEZZE - LENGTHS 1600-1800-2000





CASSETTIERA E MOBILE DI SERVIZIO - CHEST OF DRAWERS AND SERVICE FURNITURE UNIT LUNGHEZZE - LENGTHS 420-1180




MODESTY PANEL LUNGHEZZE - LENGTHS 800-1000-1160-1200-1400-1600-1800



APPENDICI - RETURN DESKS LUNGHEZZE - LENGTHS 600-800-900-1000





ELEMENTI SERVENTE - SERVICE UNIT ELEMENTS LUNGHEZZE - LENGTHS 420-840-1260-1680





Executive Ring system

RIUNIONE MEETING

RIUNIONE MELAMINICO - MEETING TABLES WITH MELAMINE TOPS LUNGHEZZE - LENGTHS 1800-2000-2200-2400-2800



ALLUNGO P.1000
EXTENSION D.1000



ALLUNGO P.1200
EXTENSION D.1200

Operative Ring system

SCRIVANIE - DESKS

SCRIVANIE MELAMINICO - MELAMINE DESKS

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000

SCRIVANIE P.600-800
DESKS D.600-800

SCRIVANIE CON SERVENTE E CASSETTIERA - MELAMINE DESKS

LUNGHEZZE - LENGTHS 1600-1800-2000




SCRIVANIE P.600-800
DESKS D.600-800

APPENDICI, RACCORDI E MOBILI COMPLANARI - RETURN DESKS AND JUNCTIONS

LUNGHEZZE - LENGTHS 800-1000-1200

P.600-800
D.600-800

RACCORDI
JUNCTIONS



MOBILI COMPLANARI - COPLANAR FURNITURE

LUNGHEZZE - LENGTHS 420

MOBILI P.600-800
COMP. D.600-800

SCREEN

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800

P. 6-18-40
D. 6-18-40

WORKSTATIONS

WORKSTATIONS L.1600-1800

PROFONDITÀ - DEPTH 1400-1600

LUNGHEZZA 1600
LENGTHS 1600

LUNGHEZZA 1800
LENGTHS 1800

Operative Ring system

BENCHES




BENCHES P,1250-1650

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800-2000

P. 1250
D. 1250

L. 600

P. 1650
D. 1650



L. 600

SCREEN PER BENCHES - SCREENS FOR BENCHES

LUNGHEZZE - LENGTHS 800-1000-1200-1400-1600-1800

P. 6-18
D. 6-18

P. 18
D. 18

Ring system

DESCRIZIONI TECNICHE

Scrivanie

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Vetro temperato spessore mm. 10, bordi perimetrali smussati a filo secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, sono dotati di piedi in plastica grigi regolabili. Travi sotto piano realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche. Disponibile eventuale modesty panel anteriore in melaminico 18 mm.

Cassettiera portante per scrivanie, appendici e workstation realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio o bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassetiera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici, penisole o workstation in tubolare mm 70x30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali di diverse tipologie sono applicabili, tramite staffe in lamiera piegata e verniciata, al sistema desk:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Elementi servente

Mobili servente modulare componibile con contenitori a giorno, contenitori con ante e cassettiere. Casse realizzate in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4. Frontali cassetti in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati. Anta in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza bordati in ABS mm 2 da tutti i lati.

Maniglie in zamac colore bianco e grigio.

TECHNICAL DESCRIPTIONS

Desks

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Tempered glass 10 mm thick with bevelled flush perimeter edges according to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel. An 18 mm melamine front modesty panel is available.

Load-bearing drawer unit for desks, return desks and workstations made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides. The handles are in gray or white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of front screens can be applied to the desk system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Service unit elements

Modular service unit with open cases, cases with doors and drawers. The cases are made 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The drawer fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The door is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm edging on all sides.

The handles are in grey, white zamac.

Cassettiera con interno cassetto in melaminico rivestito in PVC finitura grigio alluminio, guide metalliche trattate anticorrosione e arresto di fine corsa. Serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti sono dotati di chiusura ammortizzata. Top in in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza con bordi perimetrali in ABS spessore mm 2 dello stesso colore. Tutte le composizioni sono dotati di quattro piedini.

Tavoli riunione

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili.

Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Cassettiera e mobile di servizio

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm, top in melaminico sp. 25 mm bordati in ABS sp. 1mm.Cassetti ammortizzati con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica. Ruote piroettanti con freno in nylon. Maniglia in zamac con passo 128mm.

Mobili complanari

Struttura costituita da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali\ante sp. 18 mm bordati in ABS sp. 2 mm. Top in melaminico sp. 18-25-30 mm bordati in ABS sp. 1mm. Interno cassetto realizzato in conglomerato ligneo ricoperto in PVC grigio e fondo in MDF sp. 3mm. Cassettiera con sistema di scorrimento su guide metalliche a rullo con cuscinetti in nylon, compresi di serratura a chiusura centralizzata fornita di doppia chiave numerata e pieghevole anti-infortunistica.

Maniglia in zamac grigia o bianca con passo 128mm.

Chest of drawers with inside melamine drawer coated with an aluminium grey PVC finish and a guided anti corrosion treated metal runner. The lock has a folding key in duplicate copies for simultaneous closing of the drawers.

The drawers are equipped with soft closing.

The top is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides.

All of the compositions are equipped with four feet.

Chest of drawers and service unit furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging.The fronts are made of 18 mm thick melamine, top are made of 25 mm thick melamine with ABS 1 mm thick edging. Soft closing drawers with stationery tray. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. Sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Nylon swivel wheels with brake. Zamak handle with 128 mm interaxle.

Meeting tables

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Coplanar furniture

The structure consists of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts\doors are made of 18 mm thick melamine with ABS 2 mm thick edging. The top is made of 10-25-30 mm thick melamine with ABS 1 mm thick edging. The inside of the drawer is made of conglomerated chipboard covered in grey PVC and the bottom is made of 3 mm thick MDF. The chest of drawers is equipped with a sliding system on metal roller guides with nylon bearings including centralized locking lock supplied with double numbered and folding accident prevention key. Grey or white zamak handle with 128 mm interaxle.

Ring system

DESCRIZIONI TECNICHE

Benches e workstations

Piani realizzati in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18-25-30 e rivestito con carta melaminica ad alta resistenza.

Bordi perimetrali in ABS dello stesso colore del piano, spessore mm 2 con spigoli arrotondati secondo le norme anti-infortunistiche.

Struttura metallica ad anello realizzata con tubolare di sezione mm 70x30 verniciata a polveri epossidiche colore grigio, bianco o antracite, ed è dotata di piedi in plastica grigi regolabili. Le Travi sotto il piano sono realizzate con tubolare di sezione mm 30x30 verniciate a polveri epossidiche.

Cassettiera portante per appendici, realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordo perimetrale in ABS spessore mm 0,4.

Frontali in conglomerato ligneo, classe E1 di rilascio formaldeide, nello spessore mm 18 e rivestito con carta melaminica ad alta resistenza, bordati in ABS mm 2 da tutti i lati. Maniglie in zamac colore grigio e bianco. Interno cassetto in melaminico rivestito in PVC finitura grigio alluminio; guide metalliche trattate anticorrosione e arresto di fine corsa. La cassettera è dotata di 4 piedini regolabili ed è fornita di serratura con chiave pieghevole in duplice copia a chiusura simultanea dei cassetti. I cassetti possono essere dotati di chiusura ammortizzata (opzionale).

Gamboni portanti per raccordi, appendici e penisole sono in tubolare mm 70*30 verniciati a polveri epossidiche colore grigio, bianco o antracite e sono dotati di piedino livellatore.

Schermi frontali e longitudinali di diverse tipologie sono applicabili tramite staffe in lamiera piegata e verniciata al sistema benches:

-In metacrilato dello spessore mm 6.

-In melaminico dello spessore mm 18 bordato in ABS mm 2 da tutti i lati

-In materiale fonoassorbente spessore mm 18 rivestito in tessuto Trevira CS.

-In materiale fonoassorbente spessore mm 45 rivestito in tessuto Trevira CS.

Mobili con cassetto estraibile

Mobile alto e complanare costituiti da base, cappello, fianchi e retro realizzata in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Bordi perimetrale in ABS sp. 0,4 mm. Frontali in melaminico sp. 18 mm bordati in ABS sp. 1mm. Cassetti con vaschetta porta cancelleria. Interno cassetto realizzato in conglomerato ligneo, classe E1 di rilascio formaldeide, spessore 18 mm e rivestito con carta melaminica ad alta resistenza. Mobile complanare top in melaminico sp. 18-25-30 mm bordati in ABS sp. 2 mm. Mobile alto top in melaminico sp. 25 mm bordati in ABS sp. 1mm. Ruota unidirezionale. Maniglia in zamak grigia o bianca con passo 128mm. Elemento superiore a giorno realizzato in melaminico sp. 25 mm bordati in ABS sp. 1mm. Serratura con chiave pieghevole in duplice copia.

TECHNICAL DESCRIPTIONS

Benches and workstations

The tops are made of 18-25-30 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper.

ABS 2 mm thick perimeter edging in the same colour as the top, the corners are rounded and comply to accident prevention standards.

Ring shaped metallic structure made of 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with adjustable grey plastic feet. The under-top beams are made of 30x30 mm tubular sectioned epoxy powdered coated steel.

Load-bearing drawer unit for extensions made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper, ABS 2 mm thick edging on all sides.

The handles are in gray, white zamac. The inside of the melamine drawer is coated with an aluminium grey PVC finish and has a guided anti corrosion treated metal runner. The drawer unit is equipped with 4 adjustable feet and is supplied with a lock with a folding key in duplicate copies for simultaneous closing of the drawers. The drawers can be equipped with soft closing (optional).

Structural legs for junctions, return desks, peninsulas or workstations in 70x30 mm tubular sectioned grey, white or anthracite epoxy powder coated steel equipped with a levelling foot.

Different types of frontal and longitudinal screens can be applied to the bench system by means of bent painted sheet metal brackets:

-In 6 mm thick methacrylate.

-In 18 mm thick melamine with 2 mm ABS edging on all sides.

-In 18 mm thick sound-absorbing material upholstered in Trevira CS fabric.

-In 45 mm thick sound-absorbing material upholstered in Trevira CS fabric.

Furniture with extractable drawer

Coplanar and tall furniture consisting of a base, top, sides and back made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. ABS 0,4 thick perimeter edging. The fronts are made of 18 mm thick melamine with ABS 1 mm thick edging. Drawers with stationery tray. The inside of the drawer is made of 18 mm thick formaldehyde release class E1 conglomerated chipboard covered with high-resistance melamine paper. The coplanar furniture topis made of 10-25-30 mm thick melamine with ABS 2 mm thick edging. The tall furniture top is made of 25 mm thick melamine with ABS 1 mm thick edging. Unidirectional castor.Grey or white zamak handle with 128 mm interaxle. Open upper element made of 25 mm thick melamine with ABS 1 mm thick edging. Lock with duplicate folding key.

SEIPO Srl. Tutti i diritti sono riservati.

Ogni riproduzione, anche parziale, di questo documento è proibita senza l'approvazione della ditta SEIPO Srl.

SEIPO Srl si riserva il diritto di cambiare o migliorare tecnicamente design e specifiche di ogni suo prodotto in qualsiasi momento e a sua discrezione senza darne preventiva notizia.

I colori dei campioni e delle fotografie sono solo indicativi, leggeri scostamenti non verranno accettati come reclamo.

SEIPO Srl. All rights reserved.

Any reproduction, even partial, of this document is prohibited without the approval of SEIPO Srl.

SEIPO Srl reserves the right to change or technically improve design and specifications of each of its products at any time and at its discretion without giving prior notice.

Colours samples and photographs are indicative, slight deviations will not be accepted as a complaint.

AD: immagina.biz

3D images: Ufficio Tecnico Seipo

Print: Grafichegemma

10/2024



SEIPO S.r.l.
Zona Industriale III Fase
97100 Ragusa Italy
Tel. +39 0932 667947
e-mail: seipo@seipo.it
www.seipo.it

